Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878 Revision date: 12/22/2020 Supersedes: 2/28/2018 Version: 1.4

SDS No: 00379-0009

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier	
Product form Product name UFI Product code	: Mixture : ENZYMAX EARTH PAX : 96EK-8WYE-TA0H-AXRM : IMS-1332, IMS-1332SP, IMS-1333
1.2. Relevant identified uses of the subs	tance or mixture and uses advised against
 1.2.1. Relevant identified uses Use of the substance/mixture 1.2.2. Uses advised against No additional information available 	: Cleaning agent
1.3. Details of the supplier of the safety	data sheet
Supplier Hu-Friedy Mfg. Co., LLC. Zweigniederlassung Deutschland Kleines Öschle 8 D-78532 Tuttlingen T 00800 48 37 43 39 - F 00800 48 37 43 40 info@hu-friedy.eu - www.hu-friedy.eu E-mail address of competent person responsible	Manufacturer Hu-Friedy Mfg. Co., LLC 3232 N. Rockwell St. Chicago, IL 60618 for the SDS: sds@gbk-ingelheim.de
1.4. Emergency telephone number	
Emergency number	: INTERNATIONAL: +49 - (0) 6132 - 84463, GBK GmbH (24h - 7d/w - 365d/a) Deutschland: 06132 - 84463 (24 Stunden - 7 Tage/Woche - 365Tage/Jahr)

SECTION 2: Hazards identification

Classification according	g to Regulation	(EC) No. 12	72/2008 [CLP]
---------------------------------	-----------------	-------------	---------------

Skin corrosion/irritation, Category 2	H315
Serious eye damage/eye irritation, Category 1	H318
Respiratory sensitisation, Category 1	H334
Full text of H statements : see section 16	

Adverse physicochemical, human health and environmental effects

Causes skin irritation. May cause allergy or asthma symptoms or breathing difficulties if inhaled. Causes serious eye damage.

2.2. Label elements

Hazard pictograms (CLP)



Signal word (CLP)
Contains
Hazard statements (CLP)

: Danger

·

- : Subtilisin; Sodium dodecylbenzenesulfonate; Sodium metasilicate
- : H315 Causes skin irritation.
 - H318 Causes serious eye damage.

H334 - May cause allergy or asthma symptoms or breathing difficulties if inhaled.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878 SDS No: 00379-0009

Precautionary statements (CLP)	 P261 - Avoid breathing dust/fume/gas/mist/vapours/spray. P280 - Wear protective gloves, protective clothing, eye protection, face protection. P302+P352 - IF ON SKIN: Wash with plenty of water. P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing. P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P310 - Immediately call a POISON CENTER or doctor.

2.3. Other hazards

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Comments

: Enzymatic cleansing agent

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Trisodium hydrogendicarbonate	(CAS-No.) 533-96-0 (EC-No.) 208-580-9 (REACH-no) 01-2119494264-33	60 - 100	Eye Irrit. 2, H319
Ethylenediaminetetraacetic acid tetrasodium salt tetrahydrate	(CAS-No.) 13235-36-4 (EC-No.) 603-569-9	5 - 10	Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Eye Irrit. 2, H319 STOT SE 3, H335
Sodium dodecylbenzenesulfonate	(CAS-No.) 25155-30-0 (EC-No.) 246-680-4 (REACH-no) 01-2120088038-51	1 - 5	Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Eye Dam. 1, H318
Sodium metasilicate	(CAS-No.) 6834-92-0 (EC-No.) 229-912-9 (EC Index-No.) 014-010-00-8 (REACH-no) 01-2119449811-37	1 - 5	Met. Corr. 1, H290 Skin Corr. 1B, H314 STOT SE 3, H335
Subtilisin	(CAS-No.) 9014-01-1 (EC-No.) 232-752-2 (EC Index-No.) 647-012-00-8 (REACH-no) 01-2119480434-38	0,1 - 1	Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Eye Dam. 1, H318 Resp. Sens. 1, H334 STOT SE 3, H335 Aquatic Acute 1, H400 Aquatic Chronic 2, H411

Full text of H-statements: see section 16

SECTION 4: First aid measures	
4.1. Description of first aid measures	
First-aid measures general	: Take off immediately all contaminated clothing. If you feel unwell, seek medical advice.
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing. If experiencing respiratory symptoms: Call a poison center or a doctor.
First-aid measures after skin contact	: Wash skin with plenty of water.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician immediately.

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878 SDS No: 00379-0009

First-aid measures after ingestion	: Call a doctor. Rinse mouth out with water. Drink plenty of water. Do not induce vomiting. Attention in case of vomiting - acute danger of suffocating, produced by foaming ingredients.
4.2. Most important symptoms and effects,	both acute and delayed
Symptoms/effects after inhalation Symptoms/effects after skin contact	 May cause allergy or asthma symptoms or breathing difficulties if inhaled. Dermatitis. Causes skin irritation. May cause sensitisation of susceptible persons by skin contact.
Symptoms/effects after eye contact Symptoms/effects after ingestion	 Causes serious eye damage. Ingestion causes irritation of upper respiratory system and gastrointestinal disturbance.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures	
5.1. Extinguishing media	
Suitable extinguishing media Unsuitable extinguishing media	 Product does not burn, fire-extinguishing activities according to surrounding. high volume water jet.
5.2. Special hazards arising from the subs	tance or mixture
Hazardous decomposition products in case of fire	: Sulphur oxides. Carbon oxides (CO, CO2).
5.3. Advice for firefighters	
Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.
Other information	: Fire residues and contaminated firefighting water must be disposed of in accordance with the local regulations.

SECTION 6: Accidental release measures	
6.1. Personal precautions, protective e	equipment and emergency procedures
6.1.1. For non-emergency personnel	
Emergency procedures	: Ventilate spillage area. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapours/spray.
6.1.2. For emergency responders	
Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
6.2. Environmental precautions	
Do not discharge into the drains/surface water	s/groundwater.
6.3. Methods and material for containn	nent and cleaning up
Methods for cleaning up	: Pick up mechanically, avoiding dust, and provide disposal in suitable recipients.
6.4. Reference to other sections	
For further information refer to section 13.	

SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Precautions for safe handling	: Ensure good ventilation of the work station. Avoid contact with skin and eyes. Wear personal protective equipment. Avoid breathing dust/fume/gas/mist/vapours/spray.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878 SDS No: 00379-0009

Hygiene measures	: Do not eat, drink or smoke when using this product. Always wash hands after handling the product.
7.2. Conditions for safe storage, including a	ny incompatibilities
Incompatible products Information on mixed storage	 Store tightly closed in a dry and cool place. Oxidizing agent. Strong acids. Keep away from food, drink and animal feeding stuffs. LGK 13 - Non-combustible solids that cannot be assigned to any of the above storage classes

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

No additional information available

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

8.2.2. Personal protection equipment

8.2.2.1. Eye and face protection

Eye protection:

Protective goggles (EN 166). Eyewash bottle with clean water (EN 15154)

8.2.2.2. Skin protection

Skin and body protection:

Long sleeved protective clothing

Hand protection:

Protective gloves. Requirements can vary as a function of the use. Therefore it is necessary to adhere additionally to the recommendations given by the manufacturer of protective gloves

Туре	Material	Permeation	Thickness (mm)	Penetration	Standard
protective gloves	Butyl rubber	6 (> 480 minutes)	0,7		

8.2.2.3. Respiratory protection

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878 SDS No: 00379-0009

Respiratory protection:

Not required for normal conditions of use. If dust are formed : Respiratory protective device with a particle filter

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Solid
Colour	: white.
Odour	: Limonene.
Odour threshold	: Not available
Melting point	: Not available
Freezing point	: Not available
Boiling point	: Not available
Flammability	: Not applicable
Explosive limits	: Not applicable
Lower explosive limit (LEL)	: Not applicable
Upper explosive limit (UEL)	: Not applicable
Flash point	: Not specifically applicable
Auto-ignition temperature	: Not applicable
Decomposition temperature	: Not available
рН	: 10
pH solution	: Not available
Viscosity, kinematic	: Not applicable
Solubility	: Soluble in water. at 20 °C.
Partition coefficient n-octanol/water (Log Kow)	: Not available
Vapour pressure	: Not available
Vapour pressure at 50 °C	: Not available
Density	: Not available
Relative density	: Not available
Relative vapour density at 20 °C	: Not applicable
Particle size	: Not available
Particle size distribution	: Not available
Particle shape	: Not available
Particle aspect ratio	: Not available
Particle aggregation state	: Not available
Particle agglomeration state	: Not available
Particle specific surface area	: Not available
Particle dustiness	: Not available

9.2. Other information

VOC content	
Bulk density	

: 0% : 0.79 kg/m³

9.2.1. Information with regard to physical hazard classes

No additional information available

9.2.2. Other safety characteristics

VOC content	:	0 %
Bulk density	:	0.79 kg/m³

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878 SDS No: 00379-0009

SECTION 10: Stability and reactivity

10.1. Reactivity

No data available.

10.2. Chemical stability

No data available.

10.3. Possibility of hazardous reactions

No data available.

10.4. Conditions to avoid

To avoid thermal decomposition, do not overheat.

10.5. Incompatible materials

Oxidizing agent. Acids.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced. Sulphur oxides. Carbon oxides (CO, CO2).

SECTION 11: Toxicological information			
11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008			
Acute toxicity (oral) Acute toxicity (dermal) Acute toxicity (inhalation)	 Not classified Not classified Not classified 		
Sodium dodecylbenzenesulfonate (25155-3	0-0)		
LD50 oral rat	500 mg/kg		
Skin corrosion/irritation	: Causes skin irritation. pH: 10		
Serious eye damage/irritation	: Causes serious eye damage. pH: 10		
Respiratory or skin sensitisation Germ cell mutagenicity Carcinogenicity	 May cause allergy or asthma symptoms or breathing difficulties if inhaled. Not classified Not classified 		
Reproductive toxicity	: Not classified		
STOT-single exposure	: Not classified		
Subtilisin (9014-01-1)			
STOT-single exposure	May cause respiratory irritation.		
Sodium metasilicate (6834-92-0)			
STOT-single exposure	May cause respiratory irritation.		
Ethylenediaminetetraacetic acid tetrasodium salt tetrahydrate (13235-36-4)			
STOT-single exposure	May cause respiratory irritation.		
STOT-repeated exposure	: Not classified		

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878 SDS No: 00379-0009

Aspiration hazard

: Not classified

11.2. Information on other hazards

No additional information available

SECTION 12: Ecological information	
12.1. Toxicity	
Hazardous to the aquatic environment, short-term :	The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment. Not classified
(acute) Hazardous to the aquatic environment, long-term : (chronic)	Not classified
Subtilisin (9014-01-1)	
LC50 fish 1	200 mg/l
EC50 - Other aquatic organisms [1]	0.868 mg/l
Sodium metasilicate (6834-92-0)	
LC50 fish 1	210 mg/l (Exposure time: 96 h - Species: Brachydanio rerio [semi-static])
LC50 - Fish [2]	210 mg/l (Exposure time: 96 h - Species: Brachydanio rerio)
12.2. Persistence and degradability	
ENZYMAX EARTH PAX	
Persistence and degradability	Biodegradable.
12.3. Bioaccumulative potential	
No additional information available	
12.4. Mobility in soil	
No additional information available	
12.5. Results of PBT and vPvB assessment	
No additional information available	
12.6. Endocrine disrupting properties	
No additional information available	
12.7. Other adverse effects	
Mana dell'Anna I la farma a Cara anna lla bha	

No additional information available

SECTION 13: Disposal considerations	
13.1. Waste treatment methods	
Waste treatment methods	: Can be disposed as a solid waste or burned in a suitable installation according to local legislation. Where possible recycling is preferred to disposal.
Product/Packaging disposal recommendations	: Empty containers should be taken for local recycling, recovery or waste disposal. Contaminated packaging should be emptied as far as possible and after appropriate cleansing may be taken for reuse. Packaging that cannot be cleaned should be disposed of like the product.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878 SDS No: 00379-0009

European List of Waste (LoW) code

: 07 06 99 - wastes not otherwise specified 15 01 02 - plastic packaging

SECTION 14: Transport information

ADR	IMDG	IATA	ADN	RID
14.1. UN number or ID number				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.2. UN proper shippin	ig name			
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.3. Transport hazard	class(es)			
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.4. Packing group				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.5. Environmental haz	zards	·	·	
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable

14.6. Special precautions for user

Overland transport Not applicable Transport by sea Not applicable Air transport Not applicable Inland waterway transport Not applicable **Rail transport** Not applicable

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

VOC content

: 0%

15.1.2. National regulations

Germany

Water hazard class (WGK)

: WGK 2, Significantly hazardous to water (Classification according to AwSV, Annex 1)

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878 SDS No: 00379-0009

Hazardous Incident Ordinance (12. BImSchV)

: Is not subject of the Hazardous Incident Ordinance (12. BImSchV)

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Indication of changes:			
Section	Changed item	Change	Comments
1	Name	Modified	
1	UFI	Added	

Abbreviations and acronyms:	
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
BLV	Biological limit value
BOD	Biochemical ox

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878 SDS No: 00379-0009

TLM	Median Tolerance Limit	
VOC	Volatile Organic Compounds	
CAS-No.	Chemical Abstract Service number	
N.O.S.	Not Otherwise Specified	
vPvB	Very Persistent and Very Bioaccumulative	
ED	Endocrine disrupting properties	

Full text of H- and EUH-statements:			
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4		
Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1		
Aquatic Chronic 2	Hazardous to the aquatic environment — Chronic Hazard, Category 2		
Eye Dam. 1	Serious eye damage/eye irritation, Category 1		
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2		
Met. Corr. 1	Corrosive to metals, Category 1		
Resp. Sens. 1	Respiratory sensitisation, Category 1		
Skin Corr. 1B	Skin corrosion/irritation, Category 1, Sub-Category 1B		
Skin Irrit. 2	Skin corrosion/irritation, Category 2		
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation		
H290	May be corrosive to metals.		
H302	Harmful if swallowed.		
H314	Causes severe skin burns and eye damage.		
H315	Causes skin irritation.		
H318	Causes serious eye damage.		
H319	Causes serious eye irritation.		
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.		
H335	May cause respiratory irritation.		
H400	Very toxic to aquatic life.		
H411	Toxic to aquatic life with long lasting effects.		

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:				
Skin Irrit. 2	H315	Calculation method		
Eye Dam. 1	H318	Calculation method		
Resp. Sens. 1	H334	Calculation method		

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.